



JCP&R
1st & 2nd Grade
Spring Soccer League
Spring 2024

3/20/24

Date	Day	Time	Location	Event	Team	Note
<u>April</u> 8 th	Mon	4:30-5:30	MF Field C	Practice	Vancouver - Columbus Crew	Please note game/practice location. MF ~ Memorial Field- HJ ~ HJ Carroll Field
		4:30-5:30	MF Field D	Practice	FC Montreal – NY Red Bulls	
		4:30-5:30	HJ Field C	Practice	FC Dallas	
		4:30-5:30	HJ Field D	Practice	SJ Earthquakes	
10 th	Wed	4:30-5:30	MF Field C	Practice	Vancouver - Columbus Crew	
		4:30-5:30	MF Field D	Practice	FC Montreal – NY Red Bulls	
		4:30-5:30	HJ Field C	Practice	FC Dallas	
		4:30-5:30	HJ Field D	Practice	SJ Earthquakes	
15 th	Mon	4:30-5:30	MF Field C	Practice	Vancouver - Columbus Crew	
		4:30-5:30	MF Field D	Practice	FC Montreal – NY Red Bulls	
		4:30-5:30	HJ Field C	Practice	FC Dallas	
		4:30-5:30	HJ Field D	Practice	SJ Earthquakes	
17 th	Wed	4:30-5:30	MF Field C	Game	FC Montreal vs SJ Earthquakes	
		4:30-5:30	HJ Field C	Game	Columbus Crew vs NY Red Bulls	
		4:30-5:30	HJ Field D	Game	Vancouver vs FC Dallas	
22 nd	Mon	4:30-5:30	MF Field C	Game	FC Montreal vs Columbus Crew	
		4:30-5:30	MF Field D	Game	Vancouver vs NY Red Bulls	
		4:30-5:30	HJ Field D	Game	SJ Earthquakes vs FC Dallas	
24 th	Wed	4:30-5:30	MF Field C	Practice	Vancouver - Columbus Crew	
		4:30-5:30	MF Field D	Practice	FC Montreal – NY Red Bulls	
		4:30-5:30	HJ Field C	Practice	FC Dallas	
		4:30-5:30	HJ Field D	Practice	SJ Earthquakes	
29 th	Mon	4:30-5:30	MF Field C	Game	Vancouver vs FC Montreal	
		4:30-5:30	MF Field D	Game	FC Dallas vs NY Red Bulls	
		4:30-5:30	HJ Field C	Game	SJ Earthquakes vs Columbus Crew	
<u>May</u> 1 st	Wed	4:30-5:30	MF Field C	Game	NY Red Bulls vs FC Montreal	
		4:30-5:30	HJ Field C	Game	Columbus Crew vs FC Dallas	
		4:30-5:30	HJ Field D	Game	SJ Earthquakes vs Vancouver	

<OVER>

Date	Day	Time	Location	Event	Team	Note
May 6 th	Mon	4:30-5:30	MF Field C	Game	Columbus Crew vs Vancouver	Please note game/practice location. MF ~ Memorial Field- HJ ~ HJ Carroll Field
		4:30-5:30	MF Field D	Game	NY Red Bulls vs SJ Earthquakes	
		4:30-5:30	HJ Field D	Game	FC Dallas vs FC Montreal	
8 th	Wed	4:30-5:30	MF Field C	Practice	Vancouver - Columbus Crew	
		4:30-5:30	MF Field D	Practice	FC Montreal	
		4:30-5:30	HJ Field B	Practice	NY Red Bulls	
		4:30-5:30	HJ Field C	Practice	FC Dallas	
		4:30-5:30	HJ Field D	Practice	SJ Earthquakes	
13 th	Mon	4:30-5:30	MF Field C	Game	Columbus Crew vs NY Red Bulls	
		4:30-5:30	HJ Field C	Game	Vancouver vs FC Dallas	
		4:30-5:30	HJ Field D	Game	FC Montreal vs SJ Earthquakes	
15 th	Wed	4:30-5:30	MF Field C	Game	Vancouver vs NY Red Bulls	
		4:30-5:30	HJ Field C	Game	SJ Earthquakes vs FC Dallas	
		4:30-5:30	HJ field D	Game	FC Montreal vs Columbus Crew	
20 th	Mon	4:30-5:30	MF Field C	Game	FC Dallas vs NY Red Bulls	
		4:30-5:30	MF Field D	Game	Vancouver vs FC Montreal	
		4:30-5:30	HJ Field C	Game	SJ Earthquakes vs Columbus Crew	

Please Note:

**MF ~ Memorial Field-
 HJ ~ HJ Carroll Field**

<OVER>

Dear Families:

Please find below our Concussion Information Form. Please go over this information with your participant(s) Thank You, Rec Staff



Concussion Information Sheet

A concussion is a brain injury and all brain injuries are serious. They are caused by a bump, blow, or jolt to the head, or by a blow to another part of the body with the force transmitted to the head. They can range from mild to severe and can disrupt the way the brain normally works. Even though most concussions are mild, **all concussions are potentially serious and may result in complications including prolonged brain damage and death if not recognized and managed properly.** In other words, even a “ding” or a bump on the head can be serious. You can’t see a concussion and most sports concussions occur without loss of consciousness. Signs and symptoms of concussion may show up right after the injury or can take hours or days to fully appear. If your child reports any symptoms of concussion, or if you notice the symptoms or signs of concussion yourself, seek medical attention right away.

Symptoms may include one or more of the following:

- | | |
|--|--|
| <ul style="list-style-type: none">• Headaches• “Pressure in head”• Nausea or vomiting• Neck pain• Balance problems or dizziness• Blurred, double, or fuzzy vision• Sensitivity to light or noise• Feeling sluggish or slowed down• Feeling foggy or groggy• Drowsiness• Change in sleep patterns | <ul style="list-style-type: none">• Amnesia• “Don’t feel right”• Fatigue or low energy• Sadness• Nervousness or anxiety• Irritability• More emotional• Confusion• Concentration or memory problems (forgetting game plays)• Repeating the same question/comment |
|--|--|

Signs observed by teammates, parents and coaches include:

- | | |
|--|---|
| <ul style="list-style-type: none">• Appears dazed• Vacant facial expression• Confused about assignment• Forgets plays• Is unsure of game, score, or opponent• Moves clumsily or displays in-coordination• Answers questions slowly | <ul style="list-style-type: none">• Slurred speech• Shows behavior or personality changes• Can’t recall events prior to hit• Can’t recall events after hit• Seizures or convulsions• Any change in typical behavior or personality• Loses consciousness |
|--|---|

What can happen if my child keeps on playing with a concussion or returns to soon?

Concussion Information Sheet

Athletes with the signs and symptoms of concussion should be removed from play immediately. Continuing to play with the signs and symptoms of a concussion leaves the young athlete especially vulnerable to greater injury. There is an increased risk of significant damage from a concussion for a period of time after that concussion occurs, particularly if the athlete suffers another concussion before completely recovering from the first one. This can lead to prolonged recovery, or even to severe brain swelling (second impact syndrome) with devastating and even fatal consequences. It is well known

that adolescent or teenage athlete will often under report symptoms of injuries. And concussions are no different. As a result, education of administrators, Coaches, parents and students is the key for student-athlete's safety.

If you think your child has suffered a concussion

Any athlete even suspected of suffering a concussion should be removed from the game or practice immediately. No athlete may return to activity after an apparent head injury or concussion, regardless of how mild it seems or how quickly symptoms clear, without medical clearance. Close observation of the athlete should continue for several hours. The new "Zackery Lystedt Law" in Washington now requires the consistent and uniform implementation of long and well-established return to play concussion guidelines that have been recommended for several years:

"a youth athlete who is suspected of sustaining a concussion or head injury in a practice or game shall be removed from competition at that time"

and

"...may not return to play until the athlete is evaluated by a licensed health care provider trained in the evaluation and management of concussion and received written clearance to return to play from that health care provider".

You should also inform your child's coach if you think that your child may have a concussion Remember its better to miss one game than miss the whole season. And when in doubt, the athlete sits out.

For current and up-to-date information on concussions you can go to:

<http://www.cdc.gov/ConcussionInYouthSports/>

Adapted from the CDC and the 3rd International Conference on Concussion in Sport
Document created 6/15/2009

Jefferson County Parks and Recreation / 620 Tyler St / Mailing: 620 Sheridan St. / Port Townsend, WA 98368
Chris Macklin: Assistant Manager / cmacklin@countyrec.com / www.countyrec.com
Phone: 360-385-2221 / cell/text 360.531.2333